

**LEISTER**

PLASTIC WELDING


**ALLIED**  
POWER TOOLS

# VARIMAT V2

The new  
dimension  
on the roof.

**NEW!**





**Ergonomic:**  
Height and angle of guide-bar can be adjusted easily



**Intuitive:**  
Protected design. Easy-to-view display with "e-drive" and easy-to-store welding settings



**Maintenance-free:**  
High performance and brushless blower motor, no brushes to change



**High tech:**  
New gear design allows speeds up to 39 ft/min




**Weld seam control:**  
The green air dam belt keeps the hot air in the welded seam



**More than double welding speed**

**High speed:**  
New welding nozzle with protected design for reliable welding quality



**More stability:**  
The patented pressure roller smooths out any unevenness

## Hot air welding machine

### VARIMAT V2

Using the new VARIMAT V2, polymer roofing membranes can be welded more rapidly resulting in lower cost. Users appreciate its streamlined ergonomics and its ease of use.




- With up to 39 ft/min the highest welding speed in the world (depending on material)
- Close loop system for continuous welding speed
- Maintenance free blower, no brushes to replace
- User friendly display with “e-Drive” (press and turn control) to recall pre-set and saved welding settings

Technical Data		
Voltage	V~	230
Power consumption	W	4600
Temperature	°F	68 – 1148
Drive speed	ft/min	2.3 – 39
Air flow range	%	50 – 100
Width of welding nozzle	inch	1,6
Size (L x W x H)	inch	25 x 17 x 13
Weight	lbs	77









**Art.-no.**  
VARIMAT V2 138.982

**Other versions on request**




For TPO-sheets the patented grip nozzle means there is no need for cleaning beforehand. (accessory)

#### Accessories VARIMAT V2

	<b>113.995</b>	Grip-nozzle 1.2 inch
	<b>113.600</b>	Grip-nozzle 1.6 inch
	<b>107.067</b>	Additional weight to give more pressure
	<b>107.612</b>	Heating element, 230 V, 4400 W
	<b>139.048</b>	Robust storage case * Size 28 x 19 x 18 inch, Multi-layer plate, green
	<b>132.429</b>	2 welding plates to start welds correctly*
	<b>138.817</b>	Steel brush to clean nozzle *
	<b>110.714</b>	Maintenance set with size 5 screw-driver, size 2 and 8 pin wrenches and open-ended wrench size 17

\* Included in delivery



**High potential savings:**  
Lower costs thanks to higher welding speed  
(Cost calculations based on 24000 square yards / 17 ft/min)



*The VARIMAT V2 is well protected in its robust storage box. It can easily be removed and replaced quickly.*



*The best machine for welding seams.*

**Tested under the most demanding circumstances!**

*Inclinations of up to 30° are possible without any problems.*



*Thanks to its slim line design, welding is possible in gaps as narrow as 4 inches.*






VARIMAT V2  
made in Switzerland

LEISTER

*A perfect blend of functionality and design: the new VARIMAT V2.*



**Leister Technologies AG**  
Galileo-Strasse 10  
CH-6056 Kaegiswil / Switzerland  
phone: +41 41 662 74 74  
fax: +41 41 662 74 16  
leister@leister.com

---

**Leister Technologies LLC**  
Itasca, IL 60143 / USA  
phone: +1 855 534 7837  
info.usa@leister.com

---

**Leister Technologies Ltd.**  
Shanghai 201 109 / PRC  
phone: +86 21 6442 2398  
leister@leister.cn

---

**Leister Technologies KK**  
Osaka 564-0051 / Japan  
phone: +81 6 6310 62 00  
sales-japan@leister.com

---

**Leister Technologies Benelux BV**  
3991 CE Houten / Nederland  
phone: +31 (0)30 2199888  
info@leister.nl

---

**Leister Technologies Italia s.r.l.**  
20090 Segrate / Italia  
phone: +39 02 2137647  
sales@leister.it

---

**Leister Technologies India Pvt**  
600 041 Chennai / India  
phone: +91 44 2454 3436  
info@leister.in

---

**Leister Technologies Deutschland GmbH**  
D-58093 Hagen / Germany  
phone: +49-(0)2331-95940  
info.de@leister.com

**We are local. Worldwide.**

**Our close worldwide network of more than 130 Sales and Service Centers in more than 100 countries.**

- |   |  |  |  |   |  |  |   |   |   |
|---|--|--|--|---|--|--|---|---|---|
| <b>Europe:</b><br>Andorra<br>Austria<br>Belgium<br>Cyprus<br>Denmark<br>Finland<br>France<br>Germany<br>Greece<br>Iceland<br>Ireland<br>Italy<br>Luxembourg<br>Malta<br>Monaco<br>Netherlands<br>Norway<br>Portugal<br>Liechtenstein<br>San Marino<br>Spain | Sweden<br>Switzerland<br>Turkey<br>United Kingdom<br>Vatican<br>Albania<br>Armenia<br>Azerbaijan<br>Belarus<br>Bosnia-Herzegovina<br>Bulgaria<br>Croatia<br>Czech Republic<br>Estonia<br>Georgia<br>Hungary<br>Kosovo<br>Latvia<br>Lithuania<br>Macedonia<br>Moldova<br>Montenegro | Poland<br>Romania<br>Russia<br>Serbia<br>Slovakia<br>Slovenia<br>Ukraine | <b>Americas:</b><br>Canada<br>Mexico<br>USA<br>Belize<br>Costa Rica<br>El Salvador<br>Guatemala<br>Honduras<br>Nicaragua<br>Panama<br>Argentina<br>Bolivia<br>Brazil | Chile<br>Colombia<br>Ecuador<br>Peru<br>Venezuela | <b>Central Asia:</b><br>Kazakhstan<br>Kyrgyzstan<br>Tajikistan<br>Turkmenistan<br>Uzbekistan | <b>Middle East:</b><br>Bahrain<br>Iran<br>Iraq<br>Israel<br>Jordan<br>Qatar<br>Saudi Arabia<br>U.A.E | <b>Africa:</b><br>Algeria<br>Botswana<br>Egypt<br>Ivory Coast<br>Kenya<br>Lesotho<br>Libya<br>Malawi<br>Morocco<br>Mozambique<br>Namibia<br>North Sudan<br>South Africa<br>Swaziland<br>Tunisia<br>Zambia<br>Zimbabwe | <b>Asia Pacific:</b><br>Bangladesh<br>China<br>Hong Kong<br>India<br>Indonesia<br>Japan<br>Korea<br>Macao<br>Malaysia<br>Mongolia<br>Philippines<br>Singapore<br>Sri Lanka<br>Taiwan<br>Thailand<br>Vietnam | <b>Oceania:</b><br>Australia<br>New Zealand |
|---|--|--|--|---|--|--|---|---|---|

© Copyright by Leister, Switzerland

Distributor Addresses:



**Allied Power Tools**  
12/ 76 Rushdale St, Knoxfield VIC 3180 Australia  
T: + 61 3 9764 2911  
E: sales@alliedpowertools.com.au  
W: www.alliedpowertools.com.au

Swiss Made Quality. Leister Technologies AG is an ISO9001 certified enterprise. Amendments reserved.